This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.


Shankara Bonthu Reddy et al.

Cardiac Imaging System and Method for Quantification of
Desynchrony of Ventricles for Biventricular Pacing
10/605,903




DEE 0 8 2003 55

Shankara Bonthu Reddy et al. Cardiac Imaging System and Method for Quantification of Desynchrony of Ventricles for Biventricular Pacing 10/605,903






3/10






4/10






5/10

FIG. 5






End-systole


FIG. 6

(Slice 13) LV Wall Motion vs. Time






6/10






7/10

FIG. 8






8/10





9/10





10/10

